

Artemisinin

Artemisinin wird weltweit zur Behandlung von Infektionen mit multiresistenten Stämmen von Plasmodium falciparum, dem Erreger der Malaria tropica, eingesetzt.

<http://de.wikipedia.org/wiki/Artemisinin>

Artemisinin indications: Severe Malaria, Cancer treatment, Helminth parasites.

<http://en.wikipedia.org/wiki/Artemisinin>

**Therapeutische Dosierung von Artemisinin bei Körpergewicht um 70 kg: 300 bis 600 (800) mg / Tag
Nahrungs-Ergänzungs-Dosierung von Artemisinin bei einem Körpergewicht um 70 kg: 200 mg / Tag**

Artemisin ist ein Lysosomotropikum <http://www.xerlebnishaft.de/lysosomotropika.pdf>

Senanayake N, de Silva HJ (1994) Delayed cerebellar ataxia complicating falciparum malaria: a clinical study of 74 patients. J Neurol 241; 456–9

Brewer TG, Grate SJ, Peggins JO, et al. (1994) Fatal neurotoxicity of arteemeter and artemether. Am J Trop Med Hyg 51, 251–9

Britton TC (1995) Essential tremor and its variants. Curr Opin Neurol 4, 314–9

De Vries PJ, Dien TK(1996). Clinical Pharmacology and Therapeutic Potential of Artemisinin and its derivatives in the treatment of **malaria**. Drugs.52:818-836.

Petras JM, Kyle DE, Gettayacamin M, et al. (1997) Arteether: risks of two week administration in Macaca mulatta. Am J Trop Med Hyg 56, 390–6.

Davis TM, Breheny FX, Kendall PA et al. (1997) Severe falciparum malaria with hyperparasitemia treated with intravenous artesunate. Med J Aust 166, 416–8

Dharmananda S (2002) Ching-Hao and the **Artemisias** Used in Chinese Medicine.

<http://www.itmonline.org/arts/chinghao.htm>

Sponer U, Prajakwong S, Wiedermann G et al. (2002) Pharmacodynamic **interaction of doxycycline and artemisinin** in Plasmodium falciparum. Antimicrob Agents Chemother 46(1), 262-4. [Abstract](#)

Nagai A et al. (2003) Growth-inhibitory effects of artesunate, pyrimethamine, and pamaquine against Babesia equi and Babesia caballi in in vitro cultures. Antimicrobial agents and chemotherapy 47.2, 800-803.

Mueller MS et al. (2004) Randomized controlled trial of a traditional preparation of Artemisia annua L. (Annual Wormwood) in the treatment of malaria. Transactions of the Royal Society of Tropical Medicine and Hygiene 98.5, 318-321.

Singh NP, Lai HC (2004) Artemisinin induces **apoptosis in human cancer cells**. Anticancer Res 24(4), 2277-80. [Abstract](#)

Taylor WR, White NJ. (2004) Antimalarial drug toxicity: a review. Drug Saf 27, 25--61.

Bray PG, Ward SA, O'Neill PM (2005) **Quinolines and artemisinin**: chemistry, biology and history. Curr Top Microbiol Immunol 3-38. [Abstract](#)

Holzgrabe U (2005) Artemisinin and successors. Pharm Unserer Zeit 34(2), 95. [Full Citation](#)

Adjei GO, Goka BQ, Kurtzhals JA (2006) **Neurotoxicity of artemisinin derivatives**. Clin Infect Dis 43(12), 1618. [Full Citation](#)

Paeshuysse J, Coelmont L, Vliegen I, et al. (2006) Hemin potentiates the **anti-hepatitis C virus activity** of the antimalarial drug artemisinin. *Biochem Biophys Res Commun* 348(1), 139-44. [Abstract](#)

Efferth T (2006) Molecular pharmacology and pharmacogenomics of artemisinin and its derivatives in **cancer cells**. *Curr Drug Targets* 7(4), 407-21. [Abstract](#)

Nandakumar DN et al. (2006) **Curcumin-Artemisinin** in combination therapy for malaria. *Antimicrobial Agents and Chemotherapy*. 50, 1859-1860

[Wang J](#), [Zhou H](#), [Zheng J](#) et al. (2006) The Antimalarial **Artemisinin Synergizes with Antibiotics** To Protect against Lethal Live Escherichia coli Challenge by Decreasing Proinflammatory Cytokine Release. *Antimicrob Agents Chemother*. 50(7), 2420–2427. doi: [10.1128/AAC.01066-05](#) PMID: PMC1489802 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1489802/>

Jefford CW (2007) New developments in synthetic **peroxidic drugs** as artemisinin mimics. *Drug Discov Today* 12(11-12), 487-95. [Abstract](#)

Efferth T (2007) Willmar Schwabe Award 2006: **antiplasmodial and antitumor activity** of artemisinin--from bench to bedside. *Planta Med* 73(4), 299-309. [Abstract](#)

Dellicour S, Hall S, Chandramohan D, et al. (2007) The safety of artemisinins **during pregnancy**: a pressing question. *Malar J* 15. [Abstract](#)

Sundar SN, Marconett CN, Doan VB, et al. (2008) Artemisinin selectively **decreases functional levels of estrogen receptor-alpha and ablates estrogen-induced proliferation in human breast cancer cells**. *Carcinogenesis* 29(12), 2252-8. [Abstract](#)

Efferth T, Romero MR, Wolf DG, et al. (2008) The **antiviral activities** of artemisinin and artesunate. *Clin Infect Dis* 47(6), 804-11. [Abstract](#)

CDC (2009) Hepatitis Temporally Associated with an Herbal Supplement Containing Artemisinin — Washington, 2008 <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5831a3.htm>

Firestone GL, Sundar SN (2009) **Anticancer activities** of artemisinin and its bioactive derivatives. *Expert Rev Mol Med* e32. [Abstract](#)

Zhang S, Gerhard GS (2009) Heme mediates cytotoxicity from artemisinin and serves as a **general anti-proliferation target**. *PLoS One* 4(10), e7472. [Abstract](#)

Medhi B, Patyar S, Rao RS, et al. (2009) Pharmacokinetic and toxicological profile of artemisinin compounds: an update. *Pharmacology* 84(6), 323-32. [Abstract](#)

Randrianarivelojosia M, Randriasamimanana JR, Martin C (2009) **Artemisinin-based combination therapies (ACTs)** and herbal drugs crosstalk: facts and perspectives. *Parasite* 16(3), 243-4. [Full Citation](#)

Stockwin LH, Han B, Yu SX, et al. (2009) Artemisinin dimer **anticancer activity** correlates with heme-catalyzed reactive oxygen species generation and **endoplasmic reticulum** stress induction. *Int J Cancer* 125(6), 1266-75. [Abstract](#)

Willoughby JA, Sundar SN, Cheung M, et al. (2009) Artemisinin **blocks prostate cancer** growth and cell cycle progression by disrupting Sp1 interactions with the cyclin-dependent kinase-4 (CDK4) promoter and inhibiting CDK4 gene expression. *J Biol Chem* 284(4), 2203-13. [Abstract](#)

Buommino E, Baroni A, Canozo N, et al. (2009) Artemisinin **reduces human melanoma cell migration** by down-regulating alpha V beta 3 integrin and reducing metalloproteinase 2 production. *Invest New Drugs* 27(5), 412-8. [Abstract](#)

Goo YK, Terkawi MA, Jia H, et al. (2010) Artesunate, a potential drug for **treatment of Babesia** infection. *Parasitol Int* 59(3), 481-6. [Abstract](#) [Full Citation](#) [Publisher Full Text](#)

Chadwick J, Jones M, Mercer AE, et al. (2010) Design, synthesis and antimalarial/anticancer evaluation of **spermidine linked artemisinin** conjugates designed to exploit polyamine transporters in Plasmodium falciparum and HL-60 cancer cell lines. Bioorg Med Chem 18(7), 2586-97. [Abstract](#)

Liu Y, Lok CN, Ko BC, et al. (2010) Subcellular localization of a fluorescent artemisinin derivative to **endoplasmic reticulum**. [Journal Article, Research Support, Non-U.S. Gov't] Org Lett 12(7), 1420-3. [Abstract](#)

Ferreira JFS et al. (2010) Flavonoids from Artemisia annua L. as antioxidants and their potential synergism with artemisinin against malaria and cancer." Molecules 15.5, 3135-3170.
Elfawal MA (2014) Dried whole plant Artemisia annua as a novel antimalarial therapy

Neill US (2011) From branch to bedside: Youyou Tu is awarded the 2011 Lasker-DeBakey Clinical Medical Research Award for discovering artemisinin as a treatment for **malaria**. J Clin Invest 121(10), 3768-73. [Full Citation](#)

Tu Youyou (2011) The discovery of artemisinin (qinghaosu) and gifts from Chinese medicine. In: [Nature Medicine](#). Band 17, Nummer 10, S. XIX ([Volltext](#))
<http://www.theguardian.com/science/2015/oct/05/youyou-tu-how-maos-challenge-to-malaria-pioneer-led-to-nobel-prize>

Xie L, Zhai X, Liu C, et al. (2011) **Anti-tumor activity** of new artemisinin-chalcone hybrids. Arch Pharm (Weinheim) 344(10), 639-47. [Abstract](#)

Faurant C (2011) From bark to weed: the history of artemisinin. Parasite 18(3), 215-8. [Abstract](#)

Cui W (2011) WHO urges the phasing out of artemisinin based monotherapy for malaria to reduce resistance. BMJ, d2793. [Full Citation](#)

Chou S, Marousek G, Auerochs S, et al. (2011) The unique antiviral activity of artesunate is broadly **effective against human cytomegaloviruses** including therapy-resistant mutants. Antiviral Res 92(2), 364-8. [Abstract](#)

Dickerson F, Stallings C, Vaughan C, et al. (2011) Artemisinin **reduces the level of antibodies to gliadin in schizophrenia**. Schizophr Res 129(2-3), 196-200. [Abstract](#)

Mercer AE, Copple IM, Maggs JL, et al. (2011) The role of heme and the mitochondrion in the chemical and molecular mechanisms of mammalian cell death induced by the **artemisinin antimalarials**. J Biol Chem 286(2):987-96. [Abstract](#)

Wang Y, Huang ZQ, Wang CQ, et al. (2011) **Artemisinin** inhibits extracellular matrix metalloproteinase inducer (EMMPRIN) and matrix metalloproteinase-9 expression via a protein kinase C δ /p38/extracellular signal-regulated kinase pathway in phorbol myristate acetate-induced THP-1 macrophages. Clin Exp Pharmacol Physiol 38(1), 11-8. [Abstract](#)

[Utah-Nedosa Uchechukwu](#), [Nedosa Kenechi Stanislaus](#), [Onyedibe Ikenna Kenneth](#) (2011) **Erythropoietin-Like Effects** of Dihydroartemisinin in Wistar Albino Rats. American Journal of Agricultural and Biological Science 01/2011; 6, 511-516.
http://www.researchgate.net/publication/233732679_Erythropoietin-Like_Effects_of_Dihydroartemisinin_in_Wistar_Albino_Rats

Elfawal MA, Towler MJ, Reich NG et al. (2015) Dried whole-plant Artemisia annua slows evolution of malaria drug resistance and overcomes resistance to artemisinin. Proceedings of the National Academy of Sciences, 201413127 DOI: [10.1073/pnas.1413127112](https://doi.org/10.1073/pnas.1413127112)
<http://www.sciencedaily.com/releases/2015/01/150105170016.htm>

Puri BK, Hakkarainen-Smith JS, Monro JA (2017) **The effect of artesunate on short-term memory in Lyme borreliosis**. [Medical Hypotheses Volume 105](#), 4-5
<http://www.sciencedirect.com/science/article/pii/S0306987717302888>
"The hypothesis: In light of the above findings, we suggest there would be merit, clinically, in artesunate to the antibiotic treatment of patients suffering from Lyme borreliosis. Specifically, we hypothesised that concomitant administration of artesunate in such patients would help alleviate the severity of self-reported short term memory impairment [80 mg / Tag]."

→ Artesunate <http://symptomat.de/Artesunat>

[Bernt - Dieter Huismans](#). Letzte Revision Januar 2018 www.Huismans.click



Back to top: <http://www.kabilahsystems.de/artemisinin.pdf>