

Atypical mycobacteria, atypische Mykobakterien, MOTT Mycobacteria other than Tubercle Bacilli, non - tuberculous mycobacteria, NTM nichttuberkulöse Mykobakterien

Die Runyon Klassifikation der atypischen Mykobakterien (1959)

“Group I: Photochromogens (Mnemonic: Photo means light; and chromogen means color, i.e. producing color in light) : These organism **produce a yellow-orange pigmented colony only when exposed to light.** Eg M. kansasii, M. marinum

Group II: Scotochromogens (Mnemonic: **scoto-**, darkness, Greek σκότος (skotos); chromogen means color): These NTMs **produce the pigment chiefly in dark.** E.g. M. scrofulaceum

Group III: Nonchromogen: (Mnemonic: Non: No; chromogen: Color) These NTMs produce little or no yellow orange pigment, irrespective of presence or absence of light. Note: The organisms belonging to **Group I to Group III are slow growers.** E.g. M. avium-intracellulare complex

Group IV: Rapid growers: These NTMs **grow rapidly** producing colonies in fewer than seven days. M. fortitum-chelonei complex

Gruppe I: Photochromogens (Mnemonic: Photo bedeutet Licht, Farbe und Chromogen bedeutet, d.h. Herstellung Farbe im Licht): Diese Organismus **erzeugen eine gelb-orange pigmentierte Kolonie nur dann, wenn sie dem Licht ausgesetzt werden.** Eg M. kansasii, M. marinum

Gruppe II: Scotochromogens (Mnemonic: Scoto-, Dunkelheit, Griechisch σκότος (Skotos); Chromogen bedeutet Farbe): Diese NTMs **produzieren die Pigmente hauptsächlich im Dunkeln.** Z. B. M. scrofulaceum

Gruppe III: Nonchromogen: (Mnemonic: Non: Nein, Chromogen: Color) Diese NTMs produzieren wenig oder kein gelb orange Pigment, unabhängig vom Vorhandensein oder von der Abwesenheit von Licht. Hinweis: **Die Organismen der Gruppe I bis III Gruppe wachsen langsam.** Z. B. M. avium-Komplex intracellulareae

Gruppe IV: Schnelle Züchter: Diese NTMs **wachsen schnell** produzierenden Kolonien in weniger als sieben Tagen. M. fortitum-chelonei komplexen“

Quelle: Runyon EH (1959) Anonymous mycobacteria in pulmonary disease. The Medical clinics of North America 43 (1), 273–90. <http://www.ncbi.nlm.nih.gov/pubmed/13612432>
(2013) <http://microbeonline.com/mycobacterium-other-than-tuberculosis-mottatypical-mycobacteria-ntm/>

Nontuberculous mycobacteria (NTM), also known as **environmental mycobacteria, atypical mycobacteria** and **mycobacteria other than tuberculosis (MOTT)**, are mycobacteria which do not cause tuberculosis or Hansen's disease (also known as leprosy).

Nontuberculous Mykobakterien (NTM), auch bekannt als **Umwelt-Mykobakterien, atypische Mykobakterien, Mykobakterien anders als Tuberkulose (MOTT)**, sind Mykobakterien, die nicht als Ursache von Tuberkulose oder Hansenscher-Krankheit (Lepra) infrage kommen.

Bei Immundefizienten Patienten, in immunodeficient patients:

The most common clinical manifestation of NTM disease is **lung disease**, but **lymphatic, skin / soft tissue**, and **disseminated disease** are also important.

Die häufigsten klinischen Manifestationen der Erkrankung durch NTM sind **Lungenerkrankungen**, aber auch **Lymph-, Haut- / Weichteil-, und Multisystemkrankheiten.**“

Quelle: http://en.wikipedia.org/wiki/Nontuberculous_mycobacteria

„Trinke niemals Wasser, das von oben kommt“, der Erreger der **Lepra** vermehrt sich an Torfmoosen die z.B. auf der Südseite einer Hanglage eine Umgebungstemperatur von mindestens 28° C erreichen. Aber nur höchstens 5% aller mit **Mycobacterium leprae** Infizierten erkranken später tatsächlich an einer Lepra. Quelle: Schadewaldt H (1994) vgs. Köln

Dalziel TK(1913) **Chronic interstitial enteritis**. British Medical Journal II, 1068-1070

Edwards FG. (1970) Disease caused by 'atypical' (**opportunist**) mycobacteria: a whole population review. Tubercle 51, 285– 295.

Prince DS, Peterson DD, Steiner RM, Gottlieb JE, Scott R, Israel HL, Figueroa WG, Fish JE. (1989) Infection with Mycobacterium avium complex in patients without predisposing conditions. N Engl J Med 321, 863–868.

Iseman MD, Buschman DL, Ackerson LM. (1991) Pectus excavatum and scoliosis. Thoracic anomalies associated with pulmonary disease caused by Mycobacterium avium complex. Am Rev Respir Dis 144, 914–916

Isenberg HD, D'Amato RF, Heitfetz L et al. (1991) Collaborative Feasibility of a Biphasic System (Roche Septi-Check AFB) for Rapid Detection and Isolation of Mycobacteria. Journal of Clinical Microbiology 29(8), 1719-1722 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC270189/>

Hopewell P, Cynamon M et al.(1992) Evaluation of new anti-infective drugs for the treatment and prevention of infections caused by the Mycobacterium avium complex. Infectious Diseases Society of America and the Food and Drug Administration. Clin Infect Dis 15 Suppl 1, 296-306
<http://www.ncbi.nlm.nih.gov/pubmed/1477245>

Chiodini RJ, Hermon-Taylor J (1993) The thermal resistance of Mycobacterium paratuberculosis in raw milk under conditions simulating pasteurisation. Journal of Veterinary Diagnostic Investigation 5, 629-631

Prantera C, Kohn A et al. (1994) Antimycobacterial therapy in **Crohn's disease**: results of a controlled, double-blind trial with a **multiple antibiotic regimen**. Am J Gastroenterol 89(4), 513-8
<http://www.ncbi.nlm.nih.gov/pubmed/8147352>

Havir DV, Dubé MP et al. (1996) Prophylaxis against disseminated Mycobacterium avium complex with weekly **azithromycin, daily rifabutin, or both**. California Collaborative Treatment Group. N Engl J Med 335(6), 392-8 <http://www.nejm.org/doi/full/10.1056/NEJM199608083350604>

Pierce M, Crampton S et al. (1996) A randomized trial of clarithromycin as prophylaxis against disseminated Mycobacterium avium complex infection in patients with **advanced acquired immunodeficiency syndrome**. N Engl J Med 335(6), 384-91 <http://www.ncbi.nlm.nih.gov/pubmed/8663871>

American Thoracic Society ATS. (1997) **Diagnosis and Treatment of Disease caused by Nontuberculosis Mycobacterium**. American Journal Respiratory Critical Care Med. 156, 51-525 und (2003) www.thoracic.org/adobe/statements/nontuberc1-27.pdf
www.thoracic.org/statements/resources/mtpi/nontuberculous-mycobacterial-diseases.pdf

Kentrup, H (1997) Nichttuberkulöse Mykobakterien als Ursache zervikaler Lymphadenitiden im Kindesalter. Dtsch Arztebl 94(38), A-2416 / B-2068 / C-1832
<http://www.aerzteblatt.de/archiv/7707/Nichttuberkuloese-Mykobakterien-als-Ursache-zervikaler-Lymphadenitiden-im-Kindesalter>

[Hebestreit A](#), [Pistner H](#), [Marx A](#), [Schuster V](#), [H. Bartels H](#) (1998) Rezidiv einer Lymphadenitis colli durch atypische Mykobakterien Erfolgreiche Therapie mit **Rifabutin, Clarithromycin** und **Protionamid**. Monatsschrift Kinderheilkunde 146(7), 669-672

American Academy of Pediatrics. (2000) **Disease Caused by Non Tuberculosis Mycobacterium**. In: Pickering LK, ed. 2000 Red Book: Report of the committee on Infectious Diseases. 25th ed. Elk Grove village, IL. 613-618.

Chin, J ed (2000) **Diseases due to Other Mycobacterium**. Control of Communicable Disease Manual. 17th ed. Washington, DC: American Public Health Association, 530-532.

Center for Disease Control and Prevention (2003) **Non Tuberculosis Mycobacterium**.
http://www.cdc.gov/ncidod/dastlr/tb/tb_ntm.htm

National Jewish Medical and Research Center (2003) MEDFACTS – **Non Tuberculosis Mycobacterium (NTM)** <http://nationaljewish.org/medfacts/nontuberculosis.html>
www.nationaljewish.org

Nolte O. (2003) Literaturseminar: **Überblick über Mykobakterien mit Schwerpunkt MOTT.**
<http://www.olivernolte.de/talks/Atypische%20Mykobakterien.pdf>

Katoch VM (2004) **Infections due to non-tuberculous mycobacteria (NTM).** Review Article
Indian J Med Res 120, 290-304 <http://medres.med.ucla.edu/Education/syllabus/ID/pdf/D2-NTM-04.pdf>

Naser SA, Ghobrial G, Romero C, Valentine JF (2004) Culture of **Mycobacterium avium** subspecies paratuberculosis from the blood of patients with **Crohn's disease.** Lancet. 364, 1039–44. [DOI PubMed](https://doi.org/10.1016/S0140-6736(04)17100-0)

Vaerewijck MJM, Huys G, Palomino JC et al. (2005) **Mycobacteria in drinking water distribution systems:** ecology and significance for human health. FEMS Microbiology Reviews ,29, 911–934
<http://onlinelibrary.wiley.com/doi/10.1017/S1462399403005908/pdf>

Konomopoulos J et al (2005) Detection of Mycobacterium avium subsp. paratuberculosis in retail cheeses from Greece and the Czech Republic. Applied and Environmental Microbiology 71, 8934-8936

Reed C, von Reyn F, Chamblee S, et al. (2006) **Environmental risk factors for infection with Mycobacterium avium complex.** Am J Epidemiol 164, 32–40.

Khan K, Wang J, Marras TK. (2007) **Nontuberculous mycobacterial sensitization in the United States:** national trends over three decades. Am J Respir Crit Care Med 176, 306–313.

Griffith DE, Aksamit T, Brown-Elliott BA, et al (2007) for the ATS Mycobacterial Diseases Subcommittee; American Thoracic Society; Infectious Disease Society of America. An official ATS/IDSA statement: **diagnosis, treatment, and prevention of nontuberculous mycobacterial diseases.** Am J Respir Crit Care Med 175, 367–416.

Mpofu CM et al. (2007) Microbial mannan inhibits bacterial killing by macrophages: a possible pathogenic mechanism for Crohn's disease. Gastroenterology. 133, 1487-1498

Robert J et al. (2007) On the action of methotrexate and 6-mercaptopurine on M. avium subspecies paratuberculosis. PLoS ONE 2, e161

Marras TK, Chedore P, Ying AM, Jamieson F. (2007) Isolation prevalence of pulmonary non-tuberculous mycobacteria in Ontario, 1997–2003. *Thorax* 62, 661–666.

Grange, J. M. (2007) Environmental mycobacteria. In Greenwood, David; Slack, Richard; Peitherer, John; & Barer, Mike (Eds.), *Medical Microbiology* (17th ed.), pp. 221-227. Elsevier.

Iseman MD, Marras TK. (2008) The importance of nontuberculous mycobacterial lung disease. Am J Respir Crit Care Med 178, 999–1000.

Glanemann B et al. (2008) Detection of Mycobacterium avium subspecies paratuberculosis-specific DNA by PCR in intestinal biopsies of dogs. *Journal of Veterinary Internal Medicine* 22, 1090-1094

Kim RD, Greenberg DE, Ehrmantraut ME, Guide SV, Ding L, Shea Y, Brown MR, Chernick M, Steagall WK, Glasgow CG, et al. (2008) Pulmonary nontuberculous mycobacterial disease: prospective study of a distinct preexisting syndrome. Am J Respir Crit Care Med 178, 1066–1074.

Golan L et al (2009) Mycobacterium avium paratuberculosis invades human small-intestinal goblet cells and elicits inflammation. *Journal of Infectious Diseases* 199, 350–354

Ballarino GJ, Olivier KN, Claypool RJ, Holland SM, Prevots DR. (2009) Pulmonary nontuberculous mycobacterial infections: antibiotic treatment and associated costs. *Respir Med* 103, 1448–1455.

Cossu D, Cocco E, Paccagnini D et al. (2011) Association of Mycobacterium avium subsp. paratuberculosis with **Multiple Sclerosis** in Sardinian Patients. PLoS ONE 1. 6(4) e18482, 1-6

Baek SH, Li AH, Sasseti CM (2011) **Metabolic regulation of mycobacterial growth and antibiotic sensitivity.** PLoS Biol. 9, e1001065

Legendre DP, Muzny CA, Swiatlo E (2012) **Hansen's Disease (Leprosy) Current and Future Pharmacotherapy and Treatment** of Disease-related Immunologic Reactions. Pharmacotherapy. 32(1), 27-37. <http://www.medscape.com/viewarticle/757133>

Schuenemann VJ, Singh P, Mendum TA et al. (2013) **Genome-Wide Comparison of Medieval and Modern Mycobacterium leprae.** Science. Published online. <http://www.sciencemag.org/content/341/6142/179>

[Waddell LA](#), [Rajić A](#), [Stärk KD](#), [McEWEN SA](#) (2015) **The zoonotic potential of Mycobacterium avium ssp. paratuberculosis: a systematic review and meta-analyses of the evidence.**

Epidemiol Infect. 20, 1-23. [Epub ahead of print] <http://www.ncbi.nlm.nih.gov/pubmed/25989710>

„Due to knowledge gaps in understanding the role of *M. paratuberculosis* in the development or progression of human disease, the evidence at present is not strong enough to inform the potential public health impact of *M. paratuberculosis* exposure.“

„MAI-Mykobakterien (*Mycobacterium avium*-intracelluläre) kommen natürlicherweise in Gewässern und im Erdboden vor... Es könnte sein, dass MAP (*Mycobacterium avium* subsp. *Paratuberculosis*) sich nur im bereits geschädigten Gewebe ansiedelt, also ... nicht causal beteiligt ist.“ Quelle: Bauerfeind R et al.

(2013) *Zoonosen*. S. 249-250 [http://shop.aerzteverlag.de/buecher/buch.asp?id=1867&buchtrack=\\$1\\$](http://shop.aerzteverlag.de/buecher/buch.asp?id=1867&buchtrack=1)

[Virk A](#), [Pritt R](#), [Patel R](#) et al. (2017) ***Mycobacterium lepromatosis* Lepromatous Leprosy in US Citizen Who Traveled to Disease-Endemic Areas.** *Emerg Infect Dis.* 23(11), 1864–1866. doi: [10.3201/eid2311.171104](https://doi.org/10.3201/eid2311.171104) PMID: PMC5652441

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5652441/>

„The presence of *M. lepromatosis* was also confirmed by using *M. lepromatosis*-specific PCR at the National Hansen's Disease Program (Baton Rouge, LA, USA). In consultation with this program, we prescribed clarithromycin, rifampin, and dapson in April 2017. Within 3 months of treatment, the patient had decreased skin induration, nasal obstruction, and pinna thickening but minimal improvement in arthralgias or peripheral neuropathy symptoms. No immune reactions occurred during treatment.“

NTM Info & Research, Inc. www.ntminfo.com

Nontuberculous (Environmental) Mycobacterial Disease.

<http://www.thoracic.org/education/breathing-in-america/resources/chapter-12-nontuberculous-mycobacterial-disease.pdf>

[Bernt - Dieter Huismans](#), Letzte Revision November 2017 www.Huismans.click



Back to top: http://www.kabilahsystems.de/atypical_mycobacteria.pdf