

Metronidazole

Indikation (Metronidazol, Fa. Braun): „Behandlung und Vorbeugung von Infektionen, hervorgerufen durch Metronidazol-empfindliche Keime. Die Behandlung ist wirksam bei Infektionen des zentralen Nervensystems, Infektionen des Respirationstraktes, Endocarditis, Infektionen des Gastrointestinal-Traktes, bei gynäkologischen Infektionen, Infektionen im HNO- und Zahn-Mund-Kiefer-Bereich, Infektionen an Knochen und Gelenken, Gasbrand, Septikämie bei Thrombophlebitis.

Applikationsform: intravenös (1,2 g / Tag bei Erwachsenen) ist in der Praxis erfahrungsgemäß besser wirksam.

Behandlungsdauer: Wegen des Hinweises auf Mutagenität im Tierversuch und anderen möglichen Nebenwirkungen ist die Behandlungsdauer begrenzt auf 10 bis 14 Tage.

Hinweis: Bei **Mischinfektionen mit aeroben und anaeroben Erregern** bitte keine Einzelmedikation, sondern zusätzlich zu Metronidazol **andere geeignete Antibiotika** zur Behandlung der aeroben Erreger **zugleich anwenden.**“

Indication (metronidazole, Braun): "Treatment and prevention of infections caused by metronidazole-sensitive germs. The treatment is effective in infections of the central nervous system, infections of the respiratory tract, endocarditis, infections of the gastrointestinal tract, gynecological infections, infections in the ENT and tooth-mouth-jaw area, infections on bones and joints, gas fires, septicemia in thrombophlebitis.

Application form: intravenous (1.2 g / day in adults) is more effective in practice.

Treatment duration: Because of the indication of mutagenicity in animal experiments and other possible side effects, the treatment period is limited to 10 to 14 days.

Note: For mixed infections with aerobic and anaerobic pathogens, please do not use single medication but, in addition to metronidazole, use other suitable antibiotics for the treatment of aerobic pathogens."

Wikipedia, Metronidazol

<http://de.wikipedia.org/wiki/Metronidazol> <http://en.wikipedia.org/wiki/Metronidazole>

Occasional Neurotoxicity

Antimicrobial Class	Most Common Presentation of Neurotoxicity	Risk Factors	Proposed Mechanism	Note to Clinician
Metronidazole	Agitation, Altered mental status, Cerebellar dysfunction, Encephalopathy, Ototoxicity, Peripheral neuropathy, Psychosis Seizures	Cumulative exposure Use in combination with disulfiram	Metabolite inhibition of RNA protein synthesis Modification of GABA receptor	Be aware of cumulative exposure and/or large doses

Rothstein E, Clancy DD. (1969) Toxicity of disulfiram combined with metronidazole. N Engl J Med. 280, 1006-1007. [Abstract](#)

Kim H, Kim YW, Kim SR, Park IS, Jo KW (2011) Metronidazole-induced encephalopathy in a patient with infectious colitis: a case report. J Med Case Rep. 5, 63.

Kuriyama A, Jackson JL, Doi A, Kamiya T (2011) Metronidazole-induced central nervous system toxicity: a systematic review. Clin Neuropharmacol. 34, 241-247. [Abstract](#)

Mattappalil A, Mergenhagen KA (2014) Neurotoxicity with antimicrobials in the elderly: a review. Clin Ther. 36, 1489-1503. [Abstract](#)

Hobbs K, Stern-Nezer A, Buckwalter MS, Fischbein N, Finley Caulfield A (2015) Metronidazole-induced encephalopathy: not always a reversible situation. Neurocrit Care. 22, 429-436. [Abstract](#)

Source of literature:

http://www.medscape.com/viewarticle/873864?nid=11840_3243&src=WNL_mdplsfeat_170110_msc_pedit_imed&uac=165524AR&spon=18&impID=1269865&faf=1

Denner Brown LG, Drucker DB. (1969) [COMBINATION OF PENICILLIN AND METRONIDAZOLE](#) The Lancet, Volume 294, Issue 7623, Page 746

Hartley-Asp B. (1979) [MUTAGENICITY OF METRONIDAZOLE](#) The Lancet, Volume 313, Issue 8110, Page 275

E.J. Baines, J.A. McFadzean (1981) [The Action of Metronidazole on Anaerobic Bacilli and Similar Organisms](#) Advances in Pharmacology, Volume 18, Pages 223-272

Pylkkänen, Jaana Lähdetie (1984) [Sperm abnormality assay of metronidazole and tinidazole](#) Mutation Research Letters, Volume 140, Issues 2-3, Pages 137-140 Liisa

Lubomír Dobiáš, Milena Černá, Pavel Rössner, Radim Šrám (1994) [Genotoxicity and carcinogenicity of metronidazole](#) Mutation Research/Reviews in Genetic Toxicology, Volume 317, Issue 3, Pages 177-194

Judith S. Simms-Cendan (1996) [Metronidazole](#) Primary Care Update for OB/GYNS, Volume 3, Issue 5, Pages 153-156

Mary Jo Kasten (1999) [Clindamycin, Metronidazole, and Chloramphenicol](#) Mayo Clinic Proceedings, Volume 74, Issue 8, Pages 825-833

Brorson O and Brorson SH (1999). "An *in vitro* study of the susceptibility of mobile and cystic forms of **Borrelia burgdorferi** to metronidazole". *APMIS* 107 (6), 566–576.

Woodruff BK , Wijdicks EFM, Marshall WF (2002) [Reversible Metronidazole-Induced Lesions of the Cerebellar Dentate Nuclei](#) N Engl J Med 346:68-69

Brorson O and Brorson SH (2004). "[An in vitro study of the susceptibility of mobile and cystic forms of Borrelia burgdorferi to tinidazole](#)" (PDF). *Int Microbiol* 7 (2), 139–142.

Takase K, Santa Y, Ohta S, Yoshimura T. (2005) MRI and SPECT findings in a case of metronidazole-induced reversible acute cerebellar ataxia. *Rinsho Shinkeigaku* 45(5):386–389

Kevin T. Fitzgerald (2006) [Chapter 60 - Metronidazole](#) Small Animal Toxicology (Second Edition), Pages 853-859

[Metronidazole](#) (2006) Meyler's Side Effects of Drugs: The International Encyclopedia of Adverse Drug Reactions and Interactions (Fifteenth Edition), Pages 2323-2328

Patel K., Green-Hopkins I., Lu S. Tunkel AR. (2008) [Cerebellar ataxia following prolonged use of metronidazole: case report and literature review](#). *International Journal of Infectious Diseases* 12 (6), e111–e114. [PDF \(283 K\)](#)

Gian Mario Tiboni, Francesca Marotta, Anna Pia Castiglione (2008) [Teratogenic effects in mouse fetuses subjected to the concurrent in utero exposure to miconazole and metronidazole](#) *Reproductive Toxicology*, Volume 26, Issues 3–4, Pages 254-261

Graves TD, Condon M, Loucaidou M, Perry RJ. (2009) Reversible metronidazole-induced cerebellar toxicity in a multiple transplant recipient. *J. Neurol. Sci.* 285(1-2):238–240]

Ferroir J-P, Corpechot C, Freudenreich A, Khalil A. (2009) Metronidazole-related polyneuritis, convulsive seizures, and cerebellar syndrome. Contribution of MRI. *Rev. Neurol. (Paris)* 165(10), 828–830

Moosa ANV, Perkins D. (2010) Neurological picture. MRI of metronidazole induced cerebellar ataxia. *J. Neurol. Neurosurg. Psychiatr.* 81(7):754–755

Park K-I, Chung J-M, Kim J-Y. (2011) Metronidazole neurotoxicity: sequential neuroaxis involvement. *Neurol India* 59(1):104–107

Kierzkowska M, Majewska A, Kędzińska J, et al. (2011) Participation of gram-negative anaerobes in infections in hospitalized patients. *Med Dosw Mikrobiol* 63(3):235-40. [Abstract](#)

Drekonja DM, Butler M, MacDonald R, et al. (2011) Comparative effectiveness of Clostridium difficile treatments: a systematic review. *Ann Intern Med* 155(12):839-47. [Abstract](#)

Kim SM, Shin HW, Han HJ, et al. (2011) Serially changing metronidazole-induced encephalopathy. *Can J Neurol Sci* 38(6):921-4. [Full Citation](#)

Chacko J, Pramod K, Sinha S, et al. (2011) Clinical, neuroimaging and pathological features of 5-nitroimidazole-induced encephalo-neuropathy in two patients: Insights into possible pathogenesis. *Neurol India* 59(5):743-7. [Abstract](#)

Gardner E, Meghani N, Mancuso P, et al. (2011) Recognizing metronidazole resistant *C. difficile*. *Nurse Pract* 36(11):8-11. [Full Citation](#)

Bohbot JM (2011) Chlamydia trachomatis: The enemy of the Fallopian tube. *Gynecol Obstet Fertil* 39(11):636-9. [Abstract](#)

Léoni S, Mesplié N, Aitali F, et al. (2011) Metronidazole: alternative treatment for ocular and cutaneous rosacea in the pediatric population. *J Fr Ophtalmol* 34(10):703-10. [Abstract](#)

Metronidazole. (2011) *Rep Carcinog* 269-70. [Full Citation](#)

Caol S, Divers T, Crisman M, Chang Y-F (2017) In vitro susceptibility of *Borrelia burgdorferi* isolates to three antibiotics commonly used for treating equine Lyme disease.

BMC Vet Res. 13, 293. doi: [10.1186/s12917-017-1212-3](https://doi.org/10.1186/s12917-017-1212-3) PMID: PMC5622483

<https://www.ncbi.nlm.nih.gov/pubmed/28962614>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5622483/>

„*Borrelia burgdorferi* ... least susceptible to metronidazole »

Bernt - Dieter Huismans, Start 2012. Letzte Revision November 2017, www.Huismans.click



Back to top: <http://www.kabilahsystems.de/metronidazole.pdf>

PDF Creator
www.nuance.com