

Pau Pereia, Rosmarin, *Lychnophora ericoides* (Arnica da serra)

Pau Pereia - Geissospermum Vellossi <http://www.provitas.org/InfoTexte/PAUPEREIRA.pdf>

Munoz V et al. (2000) Evaluation of antimalarial activity of plants used by Chacobo Indians. J Ethnopharmacol 69(2), 127-37

Steele JC, Veitch NC, Kite GC, et al. (2002) Indole and beta-carboline alkaloids from Geissospermum sericeum. J Nat Prod 65(1), 85-8. [Abstract](#)

Bertani S, Bourdy G, Landau I, et al. (2005) Evaluation of French Guiana traditional antimalarial remedies. J Ethnopharmacol 98(1-2), 45-54. [Abstract](#)

Correia AF, Segovia JF (2008) Amazonian plant crude extract screening for activity against multidrug-resistant bacteria. Eur Rev Med Pharmacol Sci 12(6), 369-80

Bemis DL, Capodice JL, Desai M, et al. (2009) beta-carboline alkaloid-enriched extract from the amazonian rain forest tree pao pereira suppresses prostate cancer cells. J Soc Integr Oncol 7(2), 59-65. [Abstract](#)

Araújo JQ, Lima JA, Pinto Ada C, et al. (2011) Docking of the alkaloid geissospermine into acetylcholinesterase: a natural scaffold targeting the treatment of Alzheimer's disease. J Mol Model 17(6), 1401-12. [Abstract](#)

Unbound MEDLINE results for: Geissospermum Vellossi AND human [Refine this search](#)
4 journal articles in the PubMed database

Rosmarin - Rosmarinus officinalis

Darmstadt, Hessische Landes- und Hochschulbibliothek (1803) Rosmarin-Traktat
Flück H Jaspersen-Schib R (1984) Unsere Heilpflanzen. Ott Verlag AG, Thun [ISBN 3-7225-6713-0](#).

Girón LM, Freire V, Alonzo A, et al. (1991) Ethnobotanical survey of the medicinal flora used by the Caribs of Guatemala. J Ethnopharmacol 34(2-3), 173-87. [Abstract](#)

Haraguchi H, Saito T, Okamura N, et al. (1995) Inhibition of lipid peroxidation and superoxide generation by diterpenoids from Rosmarinus officinalis. Planta Med 61(4), 333-6. [Abstract](#)

Fernandez L, Duque S, Sanchez I, et al. (1997) Allergic contact dermatitis from rosemary (Rosmarinus officinalis L.). Contact Dermatitis 37(5), 248-9. [Full Citation](#)

Mangena T, Muyima NY (1999) Comparative evaluation of the antimicrobial activities of essential oils of Artemisia afra, Pteronia incana and Rosmarinus officinalis on selected bacteria and yeast strains. Lett Appl Microbiol 28(4), 291-6. [Abstract](#)

al-Sereiti MR, Abu-Amer KM, Sen P (1999) Pharmacology of rosemary (Rosmarinus officinalis Linn.) and its therapeutic potentials. Indian J Exp Biol 37(2), 124-30. [Abstract](#)

Zeng HH, Tu PF, Zhou K, et al. (2001) Antioxidant properties of phenolic diterpenes from Rosmarinus officinalis. Acta Pharmacol Sin 22(12), 1094-8. [Abstract](#)

Calabrese V, Scapagnini G, Catalano C, et al. (2001) Induction of heat shock protein synthesis in human skin fibroblasts in response to oxidative stress: regulation by a natural antioxidant from rosemary extract. *Int J Tissue React* 23(2), 51-8. [Abstract](#)

Abe F, Yamauchi T, Nagao T, et al. (2002) Ursolic acid as a trypanocidal constituent in rosemary. *Biol Pharm Bull* 25(11), 1485-7. [Abstract](#)

Slamenova D, Kuboskova K, Horvathova E, et al. (2002) Rosemary-stimulated reduction of DNA strand breaks and FPG-sensitive sites in mammalian cells treated with H₂O₂ or visible light-excited Methylene Blue. *Cancer Lett* 177(2), 145-53. [Abstract](#)

Moss M, Cook J, Wesnes K, et al. (2003) Aromas of rosemary and lavender essential oils differentially affect cognition and mood in healthy adults. *Int J Neurosci* 113(1), 15-38.

[Abstract](#)

Giordani R, Regli P, Kaloustian J, et al. (2004) Antifungal effect of various essential oils against *Candida albicans*. Potentiation of antifungal action of amphotericin B by essential oil from *Thymus vulgaris*. *Phytother Res* 18(12), 990-5. [Abstract](#)

Inui S, Katayama I (2005) Allergic contact dermatitis induced by rosemary leaf extract in a cleansing gel. *J Dermatol* 32(8), 667-9. [Abstract](#)

Serra E, Vila A, Peramiquel L, et al. (2005) Allergic contact dermatitis due to rosemary. *Contact Dermatitis* 53(3), 179-80. [Full Citation](#)

Luqman S, Dwivedi GR, Darokar MP, et al. (2007) Potential of rosemary oil to be used in drug-resistant infections. *Altern Ther Health Med* 13(5), 54-9. [Abstract](#)

Fu Y, Zu Y, Chen L, et al. (2007) Investigation of antibacterial activity of rosemary essential oil against *Propionibacterium acnes* with atomic force microscopy. *Planta Med* 73(12), 1275-80. [Abstract](#)

Cheung S, Tai J (2007) Anti-proliferative and antioxidant properties of rosemary *Rosmarinus officinalis*. *Oncol Rep* 17(6), 1525-31. [Abstract](#)

Atsumi T, Tonosaki K (2007) Smelling lavender and rosemary increases free radical scavenging activity and decreases cortisol level in saliva. *Psychiatry Res* 150(1), 89-96. [Abstract](#)

Martínez-González MC, Godoy Buján JJ, Martínez Gómez W, et al. (2007) Concomitant allergic contact dermatitis due to *Rosmarinus officinalis* (rosemary) and *Thymus vulgaris* (thyme). *Contact Dermatitis* 56(1), 49-50. [Full Citation](#)

Rasooli I, Shayegh S, Taghizadeh M, et al. (2008) Phytotherapeutic prevention of dental biofilm formation. *Phytother Res* 22(9), 1162-7. [Abstract](#)

Naemura A, Ura M, Yamashita T, et al. (2008) Long-term intake of rosemary and common thyme herbs inhibits experimental thrombosis without prolongation of bleeding time. *Thromb Res* 122(4), 517-22. [Abstract](#)

Russo A, Lombardo L, Troncoso N, et al. (2009) *Rosmarinus officinalis* extract inhibits human melanoma cell growth. *Nat Prod Commun* 4(12), 1707-10. [Abstract](#)

Park SE, Kim S, Sapkota K, et al. (2010) Neuroprotective effect of *Rosmarinus officinalis* extract on human dopaminergic cell line, SH-SY5Y. *Cell Mol Neurobiol* 30(5), 759-67. [Abstract](#)

Yesil-Celiktas O, Sevimli C, Bedir E, et al. (2010) Inhibitory effects of rosemary extracts, carnosic acid and rosmarinic acid on the growth of various human cancer cell lines. *Plant Foods Hum Nutr* 65(2), 158-63. [Abstract](#)

Bai N, He K, Roller M, et al. (2010) Flavonoids and phenolic compounds from *Rosmarinus officinalis*. *J Agric Food Chem* 58(9), 5363-7. [Abstract](#)

Lixandru BE, Drăcea NO, Dragomirescu CC, et al. (2010) Antimicrobial activity of plant essential oils against bacterial and fungal species involved in food poisoning and/or food decay. *Roum Arch Microbiol Immunol* 69(4), 224-30. [Abstract](#)

Ulbricht C, Abrams TR, Brigham A, et al. (2010) An evidence-based systematic review of rosemary (*Rosmarinus officinalis*) by the Natural Standard Research Collaboration. *J Diet Suppl* 7(4), 351-413. [Abstract](#)

Wada M, Nagano M, Kido H, et al. (2011) Suitability of TBA method for the evaluation of the oxidative effect of non-water-soluble and water-soluble rosemary extracts. *J Oleo Sci* 60(11), 579-84. [Abstract](#)

Zegura B, Dobnik D, Niderl MH, et al. (2011) Antioxidant and antigenotoxic effects of rosemary (*Rosmarinus officinalis* L.) extracts in *Salmonella typhimurium* TA98 and HepG2 cells. *Environ Toxicol Pharmacol* 32(2), 296-305. [Abstract](#)

Cheng AC, Lee MF, Tsai ML, et al. (2011) Rosmanol potently induces apoptosis through both the mitochondrial apoptotic pathway and death receptor pathway in human colon adenocarcinoma COLO 205 cells. *Food Chem Toxicol* 49(2), 485-93. [Abstract](#)

Mothana RA, Kriegisch S, Harms M, et al. (2011) Assessment of selected Yemeni medicinal plants for their in vitro antimicrobial, anticancer, and antioxidant activities. *Pharm Biol* 49(2), 200-10. [Abstract](#)

Wang W, Li N, Luo M, et al. (2012) Antibacterial activity and anticancer activity of *Rosmarinus officinalis* L. essential oil compared to that of its main components. *Molecules* 17(3), 2704-13. [Abstract](#)

Kayashima T, Matsubara K (2012) Antiangiogenic effect of carnosic acid and carnosol, europrotective compounds in rosemary leaves. *Biosci Biotechnol Biochem* 76(1), 115-9. [Abstract](#)

Pengelly A, Snow J, Mills SY, et al. (2012) Short-term study on the effects of rosemary on cognitive function in an elderly population. *J Med Food* 15(1), 10-7. [Abstract](#)

Unbound MEDLINE results for: *Rosmarinus officinalis* AND human [Refine this search](#)
111 journal articles in the PubMed database

Lychnophora ericoides (Arnica da serra).

[dos Santos MD](#), [Gobbo-Neto L](#), [Albarella L](#), [de Souza GE](#), [Lopes NP](#). (2005) **Analgesic activity** of di-caffeoylequinic acids from roots of *Lychnophora ericoides* (Arnica da serra). *J Ethnopharmacol.* 96(3), 545-9. Epub 2004 Nov 21. <http://www.ncbi.nlm.nih.gov/pubmed/15619576>

[dos Santos MD](#), [Chen G](#), [Almeida MC](#), [Soares DM](#), [de Souza GE](#), [Lopes NP](#), [Lantz RC](#) (2010) Effects of caffeoylequinic acid derivatives and C-flavonoid from *Lychnophora*

ericoides on in vitro inflammatory mediator production. Nat Prod Commun. 5(5), 733-40.
<http://www.ncbi.nlm.nih.gov/pubmed/20521538>

"These results add important information on the effects of plant natural polyphenols, namely vicenin-2 and caffeoylquinic acid derivatives, on the production of inflammatory mediators by cultured cells."

Fernandes CR, Turatti A, Gouvea DR, Gobbo-Neto L, Diniz A, Ribeiro-Silva A, Lopes NP, Garcia SB. (2011) The protective role of Lychnophora ericoides Mart. (Brazilian arnica) in 1,2-dimethylhydrazine-induced experimental colon carcinogenesis. Nutr Cancer. 63(4), 593-9. doi: 10.1080/01635581.2011.539310.

Bernt - Dieter Huismans. Letzte Revision Februar 2017 www.Huismans.click



Back to top: <http://www.kabilahsystems.de/paupereia.pdf>