

Pfeffer, Chilli und Gelbwurz (*Curcuma ssp.*, Tumeric)

- Kuttan R, Bhanumathy P, Nirmala K et al. (1985) Potential anticancer activity of tumeric (*Curcuma longa*). *Cancer Lett.* 29, 197-202 <http://www.ncbi.nlm.nih.gov/pubmed/4075289>
- Kuttan R, Sudheeran PC, Josp CD (1987) Tumeric and curcumin as tropical agents in cancer therapy. *Tumori.* 73, 29-31 <http://www.ncbi.nlm.nih.gov/pubmed/2435036>
- Nair MG, Burke MA. (1990) Antimicrobial piper metabolite and related compounds. *Journal of Agricultural and Food Chemistry* 38, 1093-1096 <http://pubs.acs.org/doi/abs/10.1021/jf00094a041>
- (1993) National Toxicology Program (NTP) "NTP Toxicology and Carcinogenesis Studies of Turmeric Oleoresin (CAS No. 8024-37-1) (Major Component 79%-85% Curcumin, CAS No. 458-37-7) in F344/N Rats and B6C3F1 Mice (Feed Studies)," National Toxicology Program Technical Report Series, No. 427, 1-275. <http://www.scirp.org/reference/ReferencesPapers.aspx?ReferenceID=378208>
- Gal I. (1994) Capsicidin, eine neue Verbindung mit antibiotischer Wirksamkeit. *Zeitschrift für Lebensmitteluntersuchung und Forschung.* 124, 333-336 http://www.researchgate.net/publication/225264321_Capsicidin_eine_neue_Verbindung_mit_antibiotischer_Wirksamkeit_aus_Gewrzpaprika
- Cichewicz RH et al. (1996) The antimicrobial properties of chile peppers (*Capsicum* species) and their use in Mayan medicine. *Journal of Ethnopharmacology* 52, 61-70
- CaterinaMJ et al. (1997) The capsaicin receptor: a heat-activated ion channel. *Nature* 389, 816-824
- [Verma SP](#), [Goldin BR](#), [Lin PS](#) (1998) The inhibition of the estrogenic effects of pesticides and environmental chemicals by curcumin and isoflavonoids. *Environ Health Perspect.* 106(12), 807-12. <http://www.ncbi.nlm.nih.gov/pubmed/9831541>
"These data suggest that combinations of natural plant compounds may have preventive and therapeutic applications against the growth of breast tumors induced by environmental estrogens."
- De Lucca AJ et al. (2001) CAY-1, a fungicidal saponin from *Capsicum* sp. *Fruit. Medical Mycology.* 40, 131-137
- Araujo CAC, Leon LL (2001) Biological activities of *Curcuma longa* L. *Memorias do Instituto Oswaldo Cruz* 96.5, 723-728.
- Singh R et al. (2002) Antibacterial activity of *Curcuma longa* rhizome extract on pathogenic bacteria." *CURRENT SCIENCE-BANGALORE-* 83.6, 737-740.
- Chauhan DP (2002) Chemotherapeutic potential of curcumin for colorectal cancer. Division of Gastroenterology, Department of Medicine, The University of California, San Diego, CA 92093 - 0688, USA. *Curr Pharm Des.* 8 (19), 1695 - 706. <http://www.ncbi.nlm.nih.gov/pubmed/12171541>
«Curcumin should be considered as a safe, non-toxic and easy to use chemotherapeutic agent for colorectal cancers arise in the setting of chromosomal instability as well as microsatellite instability.»
- Gardulf A, Wolfart I, Gulftason R. (2004) A prospective crossover field trial shows protection of lemon eucalyptus extract against tick bites. *J Med Entomol.* 41(6), 1064-7. <http://www.ncbi.nlm.nih.gov/pubmed/15605645>
- Duvoix A, Blasius R, Delhalle S et al. (2005) Chemopreventive and therapeutic effects of curcumin. *Cancer Letters.* 223, 181-190 http://www.elsevier.com/_data/assets/pdf_file/0016/115711/cancer-letters-article-2.pdf
- Arthur S. (2007) The effectiveness of Samento, Cumada, Burbur and Dr. Lee Cowdens protocol in the treatment of chronic lyme disease. *Townsend Letter* 101-106
- Duke JA. (2007) Herbs with anti-Lyme potential. *Townsend Letter* 114-117

Johnson JJ, Mukhtar H (2007) Curcumin for chemoprevention of colon cancer. *Cancer Letters* 255, 170-181

<http://www.curcumin.co.nz/pdf/CURCUMIN-CHEMOPREVENTION-COLON-CANCER.pdf>

Watanathom J. et al. (2008) Piperine, the potential functional food for mood and cognitive disorders. *Food and Chemical Toxicology* 46, 3106-3110

Çıkrıkç S, Mozioglu U, Yılmaz H (2008) Biological activity of curcuminoids isolated from *Curcuma longa*. " *Rec Nat Prod* 2.1, 19-24.

Bhutani MK et al. (2009) Antidepressant like effects of curcumin and its combination with piperine in unpredictable chronic stress-induced behavioral, biochemical and neurochemical changes. *Oharmacology, Biochemistry and Behavior* 92, 39-43

Patel BB, Majumdar APN (2009) Synergistic Role of Curcumin With Current Therapeutics in Colorectal Cancer: Minireview. *Nutrition and Cancer* 61(6), 842-846

Dempe J. (2009) Curcumin: Zelluläre Verteilung, Metabolismus und toxische Effekte. Dissertation TH Karlsruhe. <http://digbib.ubka.uni-karlsruhe.de/volltexte/1000012070>

Chonpathompikunlert P et al. (2010) Piperin, the main alkaloid of Thai black pepper, protects against neurodegeneration and cognitive impairment in animal model of cognitive deficit like condition of Alzheimer's disease. *Food and Chemical Toxicology* 48, 798-802

Karsha PV, Lakshmi BO (2010) Antibacterial activity of black pepper (*Piper nigrum* Linn.) with special reference to its mode of action on bacteria. *Indian J Nat Prod Resour* 1.2, 213-215.

Park J, Contreas ChN (2010) Anti-carcinogenic properties of curcumin on colorectal cancer. *World J Gastrointest Oncol* 2(4), 169-176 <http://www.wjgnet.com/1948-5204/pdf/v2/i4/169.pdf>

Pundir RK, Jain P (2010) Comparative studies on the antimicrobial activity of black pepper (*Piper nigrum*) and turmeric (*Curcuma longa*) extracts. *International Journal of Applied Biology and Pharmaceutical Technology* 1.2, 492-500.

(2010) European Food Safety Authority (EFSA), "Scientific Opinion on the Re-Evaluation of Curcumin (E 100) as a Food Additive," *EFSA Journal*, Vol. 8, 1-46.

<http://www.scirp.org/reference/ReferencesPapers.aspx?ReferenceID=378209>

Karlstetter M, Lippe E, Walczak Y (2011) Curcumin is a potent modulator of microglial gene expression and migration. *Journal of Neuroinflammation* 8, 125 doi:10.1186/1742-2094-8-125

<http://www.jneuroinflammation.com/content/8/1/125>

Curcuma ist eine Pflanzengattung aus der Familie der [Ingwergewächse](#) (Zingiberaceae).

<http://de.wikipedia.org/wiki/Curcuma> <http://de.wikipedia.org/wiki/Curcumin>

Saleem M. (2012) ANTIMICROBIAL ACTIVITY OF THREE DIFFERENT RHIZOMES OF CURCUMA LONGA & CURCUMA AROMATICA ON UROPATHOGENS OF DIABETIC PATIENTS *Int J Pharm Pharm Sci*, 3(4), 273-279 <http://www.ijppsjournal.com/Vol3Issue4/2622.pdf>

Shakibaei M, Mobasheri A, Lueders C et al. (2013) Curcumin Enhances the Effect of Chemotherapy against Colorectal Cancer Cells by Inhibition of NF-κB and Src Protein Kinase Signaling Pathways. *PLOSone*. <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0057218>

[Basu P](#), [Dutta S](#), [Begum R](#), [Mittal S](#) et al. (2013) Clearance of cervical human papillomavirus infection by topical application of curcumin and curcumin containing polyherbal cream: a phase II randomized controlled study. *Asian Pac J Cancer Prev*, 14(10), 5753-9. <https://www.ncbi.nlm.nih.gov/pubmed/24289574>

[Bagad AS](#), [Joseph JA](#), [Bhaskaran N](#), [Agarwal A](#) (2013) Comparative Evaluation of Anti-Inflammatory Activity of Curcuminoids, Turmerones, and Aqueous Extract of *Curcuma longa*. [Adv Pharmacol Sci](#).

2013, 805756. doi: 10.1155/2013/805756. Epub 2013 Dec 23.
<http://www.ncbi.nlm.nih.gov/pubmed/24454348>

Sinha D, Biswas J, Sung B et al. (2013) Chemopreventive and Chemotherapeutic Potential of Curcumin in Breast Cancer. *Current Drug Targets*.
<http://benthamscience.com/journal/abstracts.php?journalID=cdt&articleID=105540>
https://www.researchgate.net/publication/233392529_Chemopreventive_and_Chemotherapeutic_Potential_of_Curcumin_in_Breast_Cancer

[Afshariani R](#), [Farhadi P](#), [Ghaffarpasand F](#) et al. (2014) Effectiveness of Topical Curcumin for Treatment of Mastitis in Breastfeeding Women: A Randomized, Double-Blind, Placebo-

[Afshariani R](#), [Farhadi P](#), [Ghaffarpasand F](#), [Roozbeh J](#) (2014) Controlled Clinical Trial. *Oman Med J*. 29(5), 330–334. doi: [10.5001/omj.2014.89](https://doi.org/10.5001/omj.2014.89) PMID: PMC4202229
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4202229/>

Lindner B-N (2014) *Kurkuma, Entzündungshemmer, Zellschutz, Schlankmacher*. VAK Verlags GmbH Kirchzarten. 63-67

[Panahi Y](#), [Saadat A](#), [Beiraghdar F](#), [Sahebkar A](#) (2014) Adjuvant therapy with bioavailability-boosted curcuminoids suppresses systemic inflammation and improves quality of life in patients with solid tumors: a randomized double-blind placebo-controlled trial. *Phytother Res*. 28(10), 1461-7. doi: 10.1002/ptr.5149. Epub 2014 Mar 19. <http://www.ncbi.nlm.nih.gov/pubmed/24648302>

Packiavathy IA, Vasantha S et al. (2014) Inhibition of biofilm development of uropathogens by curcumin—an anti-quorum sensing agent from *Curcuma longa*." *Food chemistry* 148, 453-460.

Shanmugam MK, Raue G, Kanchi MM et al. (2015) The Multifaced Role of Curcumin in Cancer Prevention and Treatment. *Molecules* 20, 2728-2769
<http://www.mdpi.com/1420-3049/20/2/2728> www.mdpi.com/1420-3049/20/2/2728/pdf

Coywaerts et al. (2015) Curcumin bei entzündlichen Erkrankungen. *EHK* 64, 14-20
<https://www.thieme-connect.com/products/ejournals/abstract/10.1055/s-0034-1395831>

Small GW et al. (2018) [Memory and Brain Amyloid and Tau Effects of a Bioavailable Form of Curcumin in Non-Demented Adults: A Double-Blind, Placebo-Controlled 18-Month Trial](#), *American Journal of Geriatric Psychiatry*

[Bernt - Dieter Huismans](#). Letzte Revision März 2018 www.Huismans.click
Back to top: <http://www.kabilahsystems.de/pfefferchilligelbwurz.pdf>

