Pfeffer, Chilli und Gelbwurz (Curcuma ssp., Tumeric)

Kuttan R, Bhanumathy P, Nirmala K et al. (1985) Potential anticancer activity of tumeric (Curcuma longa). Cancer Lett. 29, 197-202 http://www.ncbi.nlm.nih.gov/pubmed/4075289

Kuttan R, Sudheeran PC, Josp CD (1987) Tumeric and curcumin as tropical agents in cancer therapy. Tumori. 73, 29-31 http://www.ncbi.nlm.nih.gov/pubmed/2435036

Nair MG, Burke MA. (1990) Antimicrobial piper metabolite and related compounds. Journal of Agricultural and Food Chemistry 38, 1093-1096 http://pubs.acs.org/doi/abs/10.1021/jf00094a041

(1993) National Toxicology Program (NTP) "NTP Toxicology and Carcinogenesis Studies of Turmeric Oleoresin (CAS No. 8024-37-1) (Major Component 79%-85% Curcumin, CAS No. 458-37-7) in F344/N Rats and B6C3F1 Mice (Feed Studies)," National Toxicology Program Technical Report Series, No. 427, 1-275.
http://www.scirp.org/reference/ReferencesPapers.aspx?ReferenceID=378208

Gal I. (1994) Capsicidin, eine neue Verbindung mit antibiotischer Wirksamkeit. Zeitschrift für Lebensmitteluntersuchung und Forschung. 124, 333-336
http://www.researchgate.net/publication/225264321_Capsicidin_eine_neue_Verbindung_mit_antibiotischer_Wirksamkeit_aus_Gewrzpaprika

Cichewicz RH et al. (1996) The antimicrobial properties of chile peppers (Capsicum species) and their use in Mayan medicine. Journal of Etnopharmacology 52, 61-70

CaterinaMJ et al. (1997) The capsaicin receptor: a heat-activated ion channel. Nature 389, 816-824

Verma SP, Goldin BR, Lin PS (1998) The inhibition of the estrogenic effects of pesticides and environmental chemicals by curcumin and isoflavonoids. Environ Health Perspect. 106(12), 807-12. http://www.ncbi.nlm.nih.gov/pubmed/9831541
"These data suggest that combinations of natural plant compounds may have preventive and therapeutic applications against the growth of breast tumors induced by environmental estrogens."

De Lucca AJ et al. (2001) CAY-1, a fungicidal saponin from Capsicum sp. Fruit. Medical Mycology. 40, 131-137

Chauhan DP (2002) Chemotherapeutic potential of curcumin for colorectal cancer. Division of Gastroenterology, Department of Medicine, The University of California, San Diego, CA 92093 - 0688, USA. Curr Pharm Des. 8 (19), 1695 - 706.
http://www.ncbi.nlm.nih.gov/pubmed/12171541
«Curcumin should be considered as a safe, non-toxic and easy to use chemotherapeutic agent for colorectal cancers arise in the setting of chromosomal instability as well as microsatellite instability. «

Gardulf A, Wolfart I, Gulftason R. (2004) A prospective crossover field trial shows protection of lemon eucalyptus extract against tick bites. J Med Entomol. 41(6), 1064-7.
http://www.ncbi.nlm.nih.gov/pubmed/15605645

Duvoix A, Blasius R, Delhalle S et al. (2005) Chemopreventive and therapeutic effects of curcumin. Cancer Letters. 223, 181-190
http://www.elsevier.com/__data/assets/pdf_file/0016/115711/cancer-letters-article-2.pdf

Arthur S. (2007) The effectiveness of Samento, Cumada, Burbur and Dr. Lee Cowdens protocol in the treatment of chronic lyme disease. Townsend Letter 101-106

Duke JA. (2007) Herbs with anti-Lyme potential. Townsend Letter 114-117

Johnson JJ, Mukhtar H (2007) Curcumin for chemoprevention of colon cancer. Cancer Letters 255, 170-181
http://www.curcumin.co.nz/pdf/CURCUMIN-CHEMOPREVENTION-COLON-CANCER.pdf

Watanathom J. et al. (2008) Piperine, the potential functional food for mood and cognitive disorders. Food and Chemical Toxicology 46, 3106-3110

Bhutani MK et al. (2009) Antidepressant like effects of curcumin and its combination with piperine in unpredictable chronic stress-induced behavioral, biochemical and neurochemical changes. Oharmacology, Biochemistry and Behavior 92, 39-43

Patel BB, Majumdar APN (2009) Synergistic Role of Curcumin With Current Therapeutics in Colorectal Cancer: Minireview. Nutrition and Cancer 61(6), 842-846

Dempe J. (2009) Curcumin: Zelluläre Verteilung, Metabolismus und toxische Effekte. Dissertation TH Karlsruhe. http://digbib.ubka.uni-karlsruhe.de/volltexte/1000012070

Chonpathompikunlert P et al. (2010) Piperin, the main alkaloid of Thai black pepper, protects against neurodegeneration and cognitive impairment in animal model of cognitive deficit like condition of Alzheimer`s disease. Food and Chemical Toxycology 48, 798-802

Park J, Conteas ChN (2010) Anti-carcinogenic properties of curcumin on colorectal cancer. World J Gastrointest Oncol 2(4), 169-176
http://www.wjgnet.com/1948-5204/pdf/v2/i4/169.pdf

(2010) European Food Safety Authority (EFSA), “Scientific Opinion on the Re-Evaluation of Curcumin (E 100) as a Food Additive,” EFSA Journal, Vol. 8, 1-46.
http://www.scirp.org/reference/ReferencesPapers.aspx?ReferenceID=378209

Karlstetter M, Lippe E, Walczak Y (2011) Curcumin is a potent modulator of microglial gene expression and migration. Journal of Neuroinflammation 8, 125 doi:10.1186/1742-2094-8-125 http://www.jneuroinflammation.com/content/8/1/125

Curcuma ist eine Pflanzengattung aus der Familie der Ingwergewächse (Zingiberaceae).
http://de.wikipedia.org/wiki/Curcuma http://de.wikipedia.org/wiki/Curcumin

Saleem M. (2012) ANTIMICROBIAL ACTIVITY OF THREE DIFFERENT RHIZOMES OF CURCUMA LONGA & CURCUMA AROMATICA ON UROPATHOGENS OF DIABETIC PATIENTS Int J Pharm Pharm Sci, 3(4), 273-279
http://www.ijppsjournal.com/Vol3Issue4/2622.pdf

Shakibaei M, Mobasheri A, Lueders C et al. (2013) Curcumin Enhances the Effect of Chemotherapy against Colorectal Cancer Cells by Inhibition of NF-kB and Src Protein Kinase Signaling Pathways. PLOSone.
http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0057218

Bagad AS, Joseph JA, Bhaskaran N, Agarwal A (2013) Comparative Evaluation of Anti-Inflammatory Activity of Curcuminoids, Turmerones, and Aqueous Extract of Curcuma longa. Adv Pharmacol Sci. 2013, 805756. doi: 10.1155/2013/805756. Epub 2013 Dec 23.
http://www.ncbi.nlm.nih.gov/pubmed/24454348

Sinha D, Biswas J, Sung B et al. (2013) Chemopreventive and Chemotherapeutic Potential of Curcumin in Breast Cancer. Current Drug Targets.
http://benthamscience.com/journal/abstracts.php?journalID=cdt&articleID=105540
https://www.researchgate.net/publication/233392529_Chemopreventive_and_Chemotherapeutic_Potential_of_Curcumin_in_Breast_Cancer

Afshariani R, Farhadi P, Ghaffarpasand F et al. (2014) Effectiveness of Topical Curcumin for Treatment of Mastitis in Breastfeeding Women: A Randomized, Double-Blind, Placebo-

Afshariani R, Farhadi P, Ghaffarpasand F, Roozbeh J (2014) Controlled Clinical Trial. Oman Med J. 29(5), 330–334. doi: 10.5001/omj.2014.89 PMCID: PMC4202229 http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4202229/

Lindner B-N (2014) Kurkuma, Entzündungshemmer, Zellschutz, Schlankmacher. VAK Verlags GmbH Kirchzarten. 63-67

Panahi Y, Saadat A, Beiraghdar F, Sahebkar A (2014) Adjuvant therapy with bioavailability-boosted curcuminoids suppresses systemic inflammation and improves quality of life in patients with solid tumors: a randomized double-blind placebo-controlled trial. Phytother Res. 28(10), 1461-7. doi: 10.1002/ptr.5149. Epub 2014 Mar 19. http://www.ncbi.nlm.nih.gov/pubmed/24648302

Shanmugam MK, Raue G, Kanchi MM et al. (2015) The Multifaced Role of Curcumin in Cancer Prevention and Treatment. Molecules 20, 2728-2769 http://www.mdpi.com/1420-3049/20/2/2728 www.mdpi.com/1420-3049/20/2/2728/pdf

Coywaerts et al. (2015) Curcumin bei entzündlichen Erkrankungen. EHK 64, 14-20 https://www.thieme-connect.com/products/ejournals/abstract/10.1055/s-0034-1395831

Back to top: http://www.kabilahsystems.de/pfefferchilligelbwurz.pdf